

SAFETY DATA SHEET

Version: v1
Revision Date: 2024-02-20
Print Date: 2024-02-20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ethanol (95%)
Product Number : A112717
Brand : aladdin
CAS-No. : 64-17-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co., Ltd
Address : 36 Xinjinqiao Road, Shanghai
Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Flammable liquids (Category 2), H225

Eye irritation (Category 2), H319

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H225

Highly Flammable liquid and vapor

H319

Causes serious eye irritation

Precautionary statement(s)

P210

Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

Shanghai Aladdin Biochemical Technology Co., Ltd.

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/.../] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash hands [and ...] thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P337+P313	IF eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use ... to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Alcohol dehydrated Ethanol denatured Ethanol Methylated spirit mineralised Alcohol Ethanol absolute - Duty Free
Formula	: C ₂ H ₆ O
Molecular weight	: 46.07
CAS No.	: 64-17-5
EC-NO.	: 200-578-6

Component	Classification	Concentration
Ethanol (95%)	no data available	Analytical Reagent,95.0%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this safety data sheet to the doctor on site.

If inhaled

If inhaled, remove patient to fresh air.

In case of skin contact

Shanghai Aladdin Biochemical Technology Co., Ltd.
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Remove contaminated clothing and rinse skin thoroughly with soap and water. If you feel unwell, seek medical attention.

In case of eye contact

Separate the eyelids and rinse with running water or normal saline. Get medical attention immediately.

If swallowed

Rinse mouth, do not induce vomiting. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described on the label (see Section 2.2) and/or Section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Fight fire with water spray, dry chemical, foam or carbon dioxide. Avoid using direct water to put out the fire, which may cause splashes of flammable liquids and spread the fire.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

It is recommended that emergency responders wear air-carrying respirators, anti-static clothing, and rubber oil-resistant gloves. Do not touch or step over spillage. All equipment used during work should be grounded. Cut off sources of leaks as much as possible. Eliminate all ignition sources. The warning area is delineated according to the influence area of liquid flow, vapor or dust diffusion, and unrelated personnel are evacuated to the safe area from the crosswind and upwind directions.

6.2 Environmental precautions

Contain spills and avoid polluting the environment. Prevent spills from entering sewers, surface water and groundwater.

Shanghai Aladdin Biochemical Technology Co., Ltd.
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

6.3 Methods and materials for containment and cleaning up

Small spills: Collect spilled liquid in sealable containers whenever possible. Absorb with sand, activated carbon or other inert material and transfer to a safe place. Do not flush into sewers. Large spills: Construct dikes or dig pits for containment. Close the drain. Cover with foam to inhibit evaporation. Transfer it to a tanker or a special collector with an explosion-proof pump, and recycle it or transport it to a waste disposal site for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emergency treatment equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Shanghai Aladdin Biochemical Technology Co., Ltd.

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	form: liquid color: colorless
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	-114.1°C
f) Initial boiling point and boiling range	78.15°C
g) Flash point	13°C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	0.789
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

Shanghai Aladdin Biochemical Technology Co., Ltd.
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Warming

10.5 Incompatible materials

rubber, various plastics

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 10.470 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 124,7 mg/l

(OECD Test Guideline 403)

Skin corrosion/irritation

皮肤 - 家兔 结果: 无皮肤刺激 - 24 h (OECD测试导则404)

Serious eye damage/eye irritation

眼睛 - 家兔 结果: 造成严重眼刺激。(OECD测试导则405)

Respiratory or skin sensitisation

最大反应试验 - 豚鼠 结果: 阴性 (OECD测试导则406)

Germ cell mutagenicity

no data available

Carcinogenicity

Shanghai Aladdin Biochemical Technology Co., Ltd.
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

no data available
Reproductive toxicity
no data available
Specific target organ toxicity - single exposure
no data available
Specific target organ toxicity - repeated exposure
no data available
Aspiration hazard
no data available
Additional Information

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -15.300 mg/l - 96 h

(US-EPA)

Toxicity to daphnia and other aquatic invertebrates

static test LC50 - Ceriodaphnia dubia (water flea) - 5.012 mg/l - 48h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l- 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test IC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 15 d Result: ca.95 % - Readily biodegradable. (OECD Test Guideline 301E)

Biochemical Oxygen Demand (BOD) 930 - 1.670 mg/g Remarks: (Lit.) Theoretical oxygen demand 2.100 mg/g

Remarks: (Lit.)

12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic

Phone: 400-620-6333 Email: Sale@aladdin-e.com Web: <https://www.aladdin-e.com>

Shanghai Aladdin Biochemical Technology Co., Ltd.
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

(PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1170

Packing group: II

Class: 3

Proper shipping name: ETHANOL

Reportable Quantity(RQ): no data available

Poison Inhalation Hazard: no data available

Environmental Hazards: no

IMDG

UN number: 1170

Packing group: II

EMS-No: no data available

Proper shipping name: ETHANOL

IATA

UN number: 1170

Packing group: II

Class: 3

Proper shipping name: ETHANOL

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Shanghai Aladdin Biochemical Technology Co., Ltd.
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Version: v1

Revision Date: 2024-02-20

Print Date: 2024-02-20