SAFETY DATA SHEET

Version: v1 Revision Date: 2024-01-22 Print Date: 2024-01-30

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| Product name | : N,N-dimethylethanolamine |
|----------------|----------------------------|
| Product Number | : D109078 |
| Brand | : aladdin |
| CAS-No. | : 108-01-0 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

| Company | : Shanghai Aladdin Biochemical Tech Co.,Ltd |
|-----------|---|
| Address | : 36 Xinjinqiao Road, Shanghai |
| Telephone | : 400-620-6333 |
| Fax | : no data available |

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 4), H312

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



| Hazard statement(s) | |
|----------------------------|--|
| H226 | Flammable liquid and vapor |
| H331 | Toxic if inhaled |
| H335 | May cause respiratory irritation |
| H402 | Harmful to aquatic life |
| H302+H312 | Harmful if swallowed or in contact with skin |
| Precautionary statement(s) | |
| P210 | Keep away from heat, hot surface, sparks, open flames and other ignition |
| | sources No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof [electrical/ventilating/lighting//] equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. |
| P264 | Wash hands [and] thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN |
| | with water [or shower]. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use to extinguish. |
| P405 | Store locked up. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container to an approved waste disposal plant. |
| P301+P312+P330 | IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. |
| P304+P340+P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| | Immediately call a POISON CENTER/ doctor. |
| P305+P351+P338+P310 | IF IN EYES: Rinse cautiously with water for several minutes. If contact lenses are |
| | worn and can be easily removed, remove Contact lenses. Continue rinsing. |
| | Immediately call an emergency center/doctor. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

| Synonyms | | : N-Dimethylethanolamine; DMEA; Deanol; (2-hydroxyethyl)dimethylamine; 2- | | |
|-------------------------|------------------------|---|--|---------------|
| dimethylaminoeth | nanol; 2-dimethylamino | ethyl alcohol; | | |
| Formula | : | C4H11NO | | |
| Molecular weight | : | 89.14 | | |
| CAS No. | : | 108-01-0 | | |
| EC-NO. | : | 203-542-8 | | |
| Component | Classification | | | Concentration |
| N,N-dimethylethanolamin | e | | | |

no data available

99%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use dry chemical, carbon dioxide or alcohol-resistant foam. Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, ventilated warehouse. Argon filled storage.

7.3 Specific end use(s)

aladdin

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU). Control of environmental exposure

If a fatty requires provent further lackage or apillage. Do not lat t

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| form: liquid color: Colorless to light yellow |
|---|
| no data available |
| no data available |
| no data available |
| -70°C |
| 134-136°C |
| |

| g) Flash point | 39 °C |
|---|---|
| h) Evaporation rate | no data available |
| i) Flammability (solid, gas) | no data available |
| j) Upper/lower flammability or | |
| explosive limits | no data available |
| k) Vapour pressure | no data available |
| l) Vapour density | no data available |
| m) Relative density | 0.886 |
| n) Water solubility | It is miscible with water and can be mixed with ether and aromatic |
| in match colubility | it is misciple with water and can be mixed with ether and aromatic |
| hydrocarbons. | |
| , , | |
| hydrocarbons. | |
| hydrocarbons. o) Partition coefficient: n-octanol/wate | er no data available |
| hydrocarbons. o) Partition coefficient: n-octanol/wate p) Auto-ignition temperature | er no data available no data available |
| hydrocarbons. o) Partition coefficient: n-octanol/wate p) Auto-ignition temperature q) Decomposition temperature | er no data available no data available no data available |
| hydrocarbons. o) Partition coefficient: n-octanol/wate p) Auto-ignition temperature q) Decomposition temperature r) Viscosity | er no data available no data available no data available no data available |

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Copper, Zinc, Iron, Do not store near acids.

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

aladdin

Shanghai Aladdin Biochemical Technology Co., Ltd. No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Acute toxicity

LD50 Oral - Rat - male and female - 1.182 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Oral - 1.182 mg/kg (Calculation method) LC50 Inhalation - Rat - male and female - 4 h - 6 mg/l - vapor (OECD Test Guideline 403) Acute toxicity estimate Inhalation - 6 mg/l - vapor (Calculation method)

LD50 Dermal - Rabbit - 1.220 mg/kg Remarks: (External MSDS) Acute toxicity estimate Dermal - 1.220 mg/kg (Calculation method)

Skin corrosion/irritation Skin - Rabbit Result: Causes burns. (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405) Respiratory or skin sensitisation Buehler Test - Guinea pig Result: negative Remarks: (ECHA) Germ cell mutagenicity Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Carcinogenicity no data available Reproductive toxicity no data available Specific target organ toxicity - single exposure no data available Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: KK6125000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - > 100 - 220 mg/l - 96 h static test LC50 - Leuciscus idus (Golden orfe) - 146,6 mg/l - 96 h (DIN 38412 T15)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 98,37 mg/l - 48 h



(OECD Test Guideline 202) Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 35 mg/l - 72 h Remarks: (External MSDS) static test EC50 - Desmodesmus subspicatus (green algae) - 66,08 mg/l - 72 h

Toxicity to bacteria static test EC20 - activated sludge - > 1.000 mg/l - 0,5 h (OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: > 60 % - Readily biodegradable. (OECD Test Guideline 301C)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Harmful to aquatic life.

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

| DOT (US) | | |
|--------------------------------|----------------------------------|-----------------------------------|
| UN number: 2051 | Packing group: II | Class: 8(3) |
| Proper shipping name: 2- | Reportable Quantity(RQ): no data | Poison Inhalation Hazard: no data |
| DIMETHYLAMINOETHANOL | available | available |
| Environmental Hazards: no | | |
| IMDG | | |
| UN number: 2051 | Packing group: II | EMS-No: no data available |
| Proper shipping name: 2-DIMETH | /LAMINOETHANOL | |
| ΙΑΤΑ | | |
| UN number: 2051 | Packing group: II | Class: 8(3) |
| Proper shipping name: 2-DIMETH | /LAMINOETHANOL | |
| | | |

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-01-22 Print Date: 2024-01-30