

Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# SAFETY DATA SHEET

Version: v1  
Revision Date: 2024-01-22  
Print Date: 2024-01-30

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Glutaraldehyde  
Product Number : G105907  
Brand : aladdin  
CAS-No. : 111-30-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co., Ltd  
Address : 36 Xinjinqiao Road, Shanghai  
Telephone : 400-620-6333  
Fax : no data available

### 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Skin corrosion/irritation (Category 1B), H314

Serious eye damage/eye irritation (Category 1), H318

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317


Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H410	Very toxic to aquatic life with long lasting effects
Precautionary statement(s)	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] Wear respiratory protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P391	Collect spillage.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.
P342+P311	IF experiencing respiratory symptoms: Call a POISON CENTER/doctor/...
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.
P301+P312+P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Synonyms solution	: Pentanedial Glutaric dialdehyde Pentane-1,5-dial Glutaraldehyde 50%
Formula	: C5H8O2
Molecular weight	: 100.12

Component	Classification	Concentration
Glutaraldehyde		
CAS-No.: 111-30-8	易燃液体 类别 4; 急性毒性 类别 3; 急性毒性 类别 2; 皮肤腐蚀/刺激 类别 1B; 严重眼睛损伤/眼睛刺激性 类别 1; 呼吸过敏 类别 1; 皮肤过敏 类别 1; 特异性靶器官系统毒性 (一次接触) 类别 3; 急性 (短期) 水生危害 类别 1; 长期水生危害 类别 1; H227, H301, H330, H314, H318, H334, H317, H335, H400, H410	
EC-No.: 203-856-5	M-因子 - Aquatic Acute: 1 - Aquatic Chronic: 1	

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

no data available

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Not combustible. Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. 2-8 °C, stored in argon.

### 7.3 Specific end use(s)

Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

no data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Component	CAS No.	Value	Control parameters	Basis
Glutaraldehyde	111-30-8	C	0.2 ppm 0.8 mg/m <sup>3</sup>	U.S.A. NIOSH recommended exposure limits
		C	0.2 ppm 0.8 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		C	0.05 ppm 0.2 mg/m <sup>3</sup>	U.S.A. NIOSH recommended exposure limits
		C	0.05 ppm	U.S.A. ACGIH threshold limit value (TLV)
	Note	Skin sensitivity and respiratory allergy cannot be classified as human carcinogens		

### 8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

derived from it.

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	form: liquid color: Colorless to Faint Yellow
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	1.12-1.14
n) Water solubility	Soluble in hot water, ethanol, chloroform, glacial acetic acid and ether.
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

### 9.2 Other safety information

no data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Oral: No data available Acute toxicity estimate Oral - 400 mg/kg (Calculation method) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Acute toxicity estimate Inhalation - 4 h - 0.56 mg/l (Calculation method) Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Dermal: No data available

Glutaraldehyde Acute toxicity LD50 Oral - Rat - male and female - 200 mg/kg (US-EPA) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. LC50 Inhalation - Rat - male and female - 4 h - 0.28 mg/l (OECD Test Guideline 403) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract LD50 Dermal - Rabbit - male and female - > 1,000 mg/kg (US-EPA)

#### Skin corrosion/irritation

Mixture causes burns.Skin - Rabbit Result: Corrosive - 4 h (OECD Test Guideline 404) Remarks: (50% solution) (Regulation (EC) No 1272/2008, Annex VI)

#### Serious eye damage/eye irritation

Mixture causes serious eye damage. Risk of blindness!Eyes - Rabbit Result: Irreversible effects on the eye (Draize Test) Remarks: (50% solution) Causes serious eye damage.

#### Respiratory or skin sensitisation

Mixture may cause allergy or asthma symptoms or breathing difficulties if inhaled. Mixture may cause an allergic skin reaction. May cause allergic respiratory and skin reactions Chronic exposure may cause dermatitis. largely based on human evidence

#### Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Result: positive Remarks: (50% solution) Method: OECD Test Guideline 486 Species: Rat - male - Liver cells Result: negative Remarks: (50% solution)

Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Remarks: No data available Mixture may cause respiratory irritation. May cause respiratory irritation. - Respiratory system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12: Ecological information

### 12.1 Toxicity

Glutaraldehyde Toxicity to fish static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 0.8 mg/l - 96 h (US-EPA)

Toxicity to algae static test ErC50 - *Desmodesmus subspicatus* (green algae) - 0.6 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria

### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available

## SECTION 13:

### 13.1 Disposal considerations



Shanghai Aladdin Biochemical Technology Co., Ltd.  
No. 809, Chuhua Branch Road, Fengxian District, Shanghai

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

#### DOT (US)

UN number: 2922

Packing group: II

Class: 8 (6.1)

Proper shipping name: CORROSIVE

Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

LIQUID, TOXIC, N.O.S. (Glutaraldehyde) available

available

Environmental Hazards: yes

#### IMDG

UN number: 2922

Packing group: II

EMS-No: no data available

Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Glutaraldehyde)

#### IATA

UN number: 2922

Packing group: II

Class: 8 (6.1)

Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (Glutaraldehyde)

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## SECTION 16: Other information

#### Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1

Revision Date: 2024-01-22

Print Date: 2024-01-30