

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-22

Print Date: 2024-01-30

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Isopropyl ether

Product Number : I110455
Brand : aladdin
CAS-No. : 108-20-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram





Signal word

Hazard statement(s)

H225 Highly Flammable liquid and vapor
H336 May cause drowsiness or dizziness

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof [electrical/ventilating/lighting//] equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
In case of fire: Use to extinguish.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.

a POISON CENTER or doctor. if you feel unwell.

Dispose of contents/container to an approved waste disposal plant.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

P501

P304+P340+P312

Synonyms : 2-Isopropoxypropane Diisopropyl ether DIPE

Formula : C6H140

Molecular weight : 102.17

CAS No. : 108-20-3

EC-NO. : 203-560-6

Component	Classification	Concentration
Isopropyl ether		
	Flammable liquids Category 2; Acute toxicity category Don't 5; Specific target organ system toxicity (One contact) Category 3; long-term water Hazards Category 3; H225, H303, H336, H412 Concentration limit: >= 20 %: STOT SE 3, H336;	>98.0% (GC),contains 100 ppm BHT as stabilizer

SECTION 4: First aid measures



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place. Light sensitive, Store away from light.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Component	CAS No.	Value	Control parameters	Basis
Diisopropyl	108-20-3	TWA	250 ppm	United States. ACGIH
ether				Threshold Limit (TLV)
		STEL	310 ppm	United States. ACGIH
				Threshold Limit (TLV)
		TWA	500	United States. The contact
			ppm2,100	limit recommended by
			mg/m3	NIOSH
		TWA	500	United States.
			ppm2,100	Occupational Exposure
			mg/m3	Limits (OSHA) - Table Z-1
				Air Pollutant Limits



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

	TWA	500 ppm2,100 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	PEL	250 ppm1,050 mg/m3	Permissible exposure limits for chemical pollutants in California (Article 107, paragraph 8)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type AXBEK (EN 14387)

respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

e) Melting point/freezing point -60 °C f) Initial boiling point and boiling range 68-69 °C g) Flash point -28 °C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.724

n) Water solubility Insoluble in water, can be mixed in alcohol, ether, benzene, chloroform and

most other organic solvents.

o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions. Contains the following stabiliser(s): 2,6-di-tert-Butyl-p-cresol (0,001 %)

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 5.880 mg/kg Remarks: (RTECS) LD50 Dermal - Rabbit - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Results: No skin irritation - 4 h (OECD Test Guideline 404) Skin - In vitro Test Study Results: No skin

irritation - 1 h Note: (ECHA) Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

Sensitisation test: - Mouse Result: Does not cause skin sensitisation. (OECD Test Guideline 429) Remarks: (External

MSDS)

Germ cell mutagenicity

Ames test Salmonella typhimurium Result: negative (External MSDS)

Carcinogenicity no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. Acute oral toxicity - Nausea, Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting. Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: TZ5425000 Nausea, Headache, Vomiting, narcosis To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption of large quantities: Headache, narcosis, agitation, Unconsciousness, respiratory arrest, drop in blood pressure Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - > 100 mg/l - 96 h Remarks: (External MSDS) Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 190 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - > 1.000 mg/l - 96 h (OECD Test Guideline 201) Toxicity to bacteria static test NOEC - activated sludge - 370 mg/l - 3 h (OECD Test Guideline 209)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 0 % - Not biodegradable (OECD Test Guideline 301D) Theoretical oxygen demand 2.833 mg/g Remarks: (Lit.)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1159 Packing group: II Class: 3

Proper shipping name: DIISOPROPYL Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

ETHER available available

Environmental Hazards: no

IMDG

UN number: 1159 Packing group: II EMS-No: no data available

Proper shipping name: DIISOPROPYL ETHER

 IATA

UN number: 1159 Packing group: II Class: 3

Proper shipping name: DIISOPROPYL ETHER

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



Shanghai Aladdin Biochemical Technology Co., Ltd. No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-01-22 Print Date: 2024-01-30