

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-17

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Lead oxide
Product Number : L106440
Brand : aladdin
CAS-No. : 1309-60-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

# 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 3), H272

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Reproductive toxicity (Category 1A), H360Df

Specific target organ toxicity - repeated exposure (Category 2), H373

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

# 2.2 GHS Label elements, including precautionary statements



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Pictogram	墨
,	

Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer H315 Causes skin irritation

H319 Causes serious eye irritation

H350 May cause cancer

H360 May damage fertility or the unborn child

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

Harmful if swallowed or if inhaled H302+H332

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P220 Keep away from clothing and other combustible materials. P221 Take any precaution to avoid mixing with combustibles/...

P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash hands [and ...] thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P337 If eye irritation persists:

P391 Collect spillage.

P302+P352 IF ON SKIN: wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor/... P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Lead (su)peroxide; Lead dioxide; Lead peroxide; Lead(IV) oxide

Formula : 02Pb

Molecular weight : 239.2

CAS No. : 1309-60-0

EC-NO. : 215-174-5

Component	Classification	Concentration
Lead oxide		
	no data available	99.995% metals
		basis

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Lead oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### 7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

### 7.3 Specific end use(s)

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: powder color: black

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 290°C

f) Initial boiling point and boiling range no data available g) Flash point no data available h) Evaporation rate no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available no data available I) Vapour density m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature no data available q) Decomposition temperature r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

no data available

#### 10.5 Incompatible materials

Strong reducing agents, Powdered metals

### 10.6 Hazardous decomposition products

no data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 500,1 mg/kg

(Expert judgment)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 1,6 mg/l

(Expert judgment)

Dermal: No data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (National Toxicology Program)

Carcinogenicity

no data available

Reproductive toxicity

May damage the unborn child. Positive evidence from human epidemiological studies.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Blood, Central nervous system, Immune system, Kidney Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

no data available

Additional Information

RTECS: OG0700000

Lead salts have been reported to cross the placenta and to induce embryo- and fetomortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death., Anorexia., Vomiting, Convulsions To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. The following applies to lead compounds in general: Due to the poor absorbability via the gastrointestinal tract, only very high doses lead to acute cases of intoxication. After a latency period of several hours, metallic taste, nausea, vomiting, and colics occur, in many instances followed by shock.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Chronic uptake causes peripheral muscular weakness ("drop-wrist"), anaemia, and central-nervous disorders. Women of child-bearing age should not be exposed to the substance over longer periods of time (observe critical threshold). Danger of cumulative effects. This substance should be handled with particular care.

#### **SECTION 12: Ecological information**

# 12.1 Toxicity

#### 12.2 Persistence and degradability

Biodegradability Result: - Not readily biodegradable. Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects. Discharge into the environment must be avoided.

#### **SECTION 13:**

### 13.1 Disposal considerations

**Product** 

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1872 Packing group: III Class: 5.1

Proper shipping name: LEAD DIOXIDE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: no



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

**IMDG** 

UN number: 1872 Packing group: III EMS-No: no data available

Proper shipping name: LEAD DIOXIDE

IATA

UN number: 1872 Packing group: III Class: 5.1

Proper shipping name: LEAD DIOXIDE

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-01-10 Print Date: 2024-01-17