

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SAFETY DATA SHEET

Version: v1

Revision Date: 2023-12-04

Print Date: 2023-12-06

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Tetrahydrofuran EMPROVE® ESSENTIAL

Product Number : T431420
Brand : aladdin
CAS-No. : 109-99-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

1.4 Emergency telephone number

Emergency Phone : 0532-83889090

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (category 2), H225

Acute toxicity, oral (category 4), H302

Serious eye damage/eye irritation (category 2A), H319

Carcinogenicity (Category 2), H351

Specific target organ toxicity (single exposure) (category 3), respiratory tract irritation, narcotic effects, H335, H336

2.2 GHS Label elements, including precautionary statements

Pictogram





Signal word

Hazard statement(s)

Danger



Shanghai Aladdin Biochemical Technology Co., Ltd.

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

H225	Highly Flammable liquid and vapor
H302	Harmful if swallowed
H319	Causes serious eye irritation
H335	May cause respiratory irritation

H336 May cause drowsiness or dizziness H351 Suspected of causing cancer

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands [and ...] thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P337+P313 IF eye irritation persists: Get medical advice/attention.

In case of fire: Use ... to extinguish. P370+P378

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Synonyms : Tetramethylene oxide, Oxolane, Tetrahydrofuran, Butylene oxide

Formula : C4H80

Molecular weight : 72.11

CAS No. : 109-99-9

EC-NO. : 203-726-8

Component	Classification	Concentration
Tetrahydrofuran EMPROVE® ESSENTIAL		
	no data available	Pharmaceutical grade

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) foam dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides are combustible. Beware of tempering. Vapor is heavier than air, so it can spread along the ground. In case of fire, hazardous gas or vapor may be generated. Forms explosive mixture with air at moderate temperature



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let the product enter the drain. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operate under a fume hood. Do not inhale the substance/mixture. Avoid generating vapor or smoke. Keep away from open flames, hot surfaces and sources of ignition. Take measures to prevent electrostatic discharge. Change contaminated clothing immediately. Use skin protection lotion. Wash hands and face after using this substance. For preventive measures, see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep the container tightly closed and store in a dry and ventilated place. Keep away from heat and fire sources. Detect peroxide formation regularly/before distillation. Store at room temperature.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance
b) Odour
c) Odour Threshold
d) pH
no data available
no data available
no data available

e) Melting point/freezing point -108.5°C f) Initial boiling point and boiling range 66°C g) Flash point -17°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.889



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks. Warm up. Moisture.

10.5 Incompatible materials

Rubber, various plastics, tin

10.6 Hazardous decomposition products

peroxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral-Rat-Male and Female-1,650 mg/kg

Remarks: (ECHA)

Symptoms: irritation of the mucous membranes

LC50 inhalation-rat-male and female-4 h-> 16.9 mg/l

(US-EPA)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Symptoms: mucosal irritation, cough, shortness of breath, possible damage:, damage to the respiratory tract

LD50 transdermal-rat-male and female-> 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation-May cause respiratory irritation. -Respiratory system may cause drowsiness or dizziness. - nervous system

Specific target organ toxicity - repeated exposure

This substance or mixture is not classified as a specific target organ system toxicant and has been repeatedly exposed. Aspiration hazard No aspiration toxicity classification

Aspiration hazard

no data available

Additional Information

Repeated exposure toxicity-rat-male and female-oral-28 d

Remarks: (ECHA)

Registration of Toxic Effects of Chemical Substances: LU5950000

Central nervous system depression, coughing, chest pain, difficulty breathing, exposure to high concentrations in the air can cause anesthesia.

As far as we know, the chemical, physical and toxic properties have not been fully studied.

At high doses:

Lethargy

anaesthetization

Other dangers cannot be ruled out.

This substance must be handled with special care



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50-Pimephales promelas (fathead minnow)-2,160 mg/l-96 h

(OECD Test Guideline 203)

No ridge to water flea and other aquatic species

Toxicity of Vertebral Animals

Static test EC50-Daphnia magna (Water flea)-3,485 mg/l-48 h

(OECD Test Guideline 202)

Toxicity to bacteria static test EC20-activated sludge-about 800 mg/l-0.5 h

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

ecycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

DOT (US)

UN number: 2056 Packing group: II Class: 3

Proper shipping name: Tetrahydrofuran Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

available available

Environmental Hazards: No

IMDG

UN number: 2056 Packing group: II EMS-No: no data available

Proper shipping name: Tetrahydrofuran

IATA

UN number: 2056 Packing group: II Class: 3

Proper shipping name: Tetrahydrofuran

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2023-12-04 Print Date: 2023-12-06