

No. 809, Chuhua Branch Road, Fengxian District, Shanghai

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-28

Print Date: 2024-02-05

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Zinc selenide
Product Number : Z106117
Brand : aladdin
CAS-No. : 1315-09-9

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

## 1.3 Details of the supplier of the safety data sheet

Company : Shanghai Aladdin Biochemical Tech Co.,Ltd

Address : 36 Xinjinqiao Road, Shanghai

Telephone : 400-620-6333
Fax : no data available

## 1.4 Emergency telephone number

Emergency Phone : 0532-83889090

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Specific target organ toxicity - repeated exposure (Category 2), H373

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Danger





Signal word

Hazard statement(s)



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

H373 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

H301+H331 Toxic if swallowed or if inhaled

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.
P311 Call a POISON CENTER or doctor/...

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.
P391 Collect spillage.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : no data available

Formula : SeZn

Molecular weight : 144.35

CAS No. : 1315-09-9

EC-NO. : 215-259-7

Component	Classification	Concentration
Zinc selenide		
	no data available	99.99% metals basis , 1-3mm

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

## 5.2 Special hazards arising from the substance or mixture

Zinc/zinc oxides Selenium/selenium oxides Not combustible. Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

no data available

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

## 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, ventilated warehouse. Light & Air sensitive; water & moisture sensitive, protected from light.

## 7.3 Specific end use(s)

no data available

### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) .	Appearance	form: Chunks color: Light Yellow to Dark Yellow

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available
e) Melting point/freezing point no data available
f) Initial boiling point and boiling range no data available
g) Flash point no data available
h) Evaporation rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available no data available q) Decomposition temperature no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

## 9.2 Other safety information

no data available



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Contact with acids liberates very toxic gas. Air Avoid moisture.

## 10.5 Incompatible materials

Strong acids, Strong oxidizing agents

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

LD50 Oral - 100 mg/kg

LC50 Inhalation - 4 h - 0.51 mg/l - dust/mist

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

no data available

Additional Information

Acute selenium poisoning produces central nervous system effects, which include nervousness, convulsions, and drowsiness. Other signs of intoxication can include skin eruptions, lassitude, gastrointestinal distress, teeth that are discolored or decayed, odorous ("garlic") breath, and partial loss of hair and nails. Chronic exposure by inhalation can produce symptoms that include pallor, coating of the tongue, anemia, irritation of the mucosa, lumbar pain, liver and spleen damage, as well as any of the other previously mentioned symptoms. Chronic contact with selenium compounds may cause garlic odor of breath and sweat, dermatitis, and moderate emotional instability. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

### 13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.



No. 809, Chuhua Branch Road, Fengxian District, Shanghai

## **SECTION 14: Transport information**

DOT (US)

UN number: 3283 Packing group: II Class: 6.1

Proper shipping name: SELENIUM Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

COMPOUND, SOLID, N.O.S. (Zinc available available

selenide)

Environmental Hazards: yes

**IMDG** 

UN number: 3283 Packing group: II EMS-No: no data available

Proper shipping name: SELENIUM COMPOUND, SOLID, N.O.S. (Zinc selenide)

IATA

UN number: 3283 Packing group: II Class: 6.1

Proper shipping name: SELENIUM COMPOUND, SOLID, N.O.S. (Zinc selenide)

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Further information

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: v1 Revision Date: 2024-01-28 Print Date: 2024-02-05